



Canyon Fuel
Company, LLC.
Skyline Mine

A Subsidiary of Arch Western Bituminous Group, LLC.

Gregg Galecki, Environ. Coordinator
HCR 35, Box 380
Helper, UT 84526
(435) 448-2636 - Office
(435) 448-2632 - Fax

April 12, 2006

Ms. Pam Grubaugh-Littig
Permit Supervisor
Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114-5801

Handwritten signature: J. Dean
4/10/06

RE: Modification to Water Monitoring Table 2.3.7-1, Canyon Fuel Company, LLC, Skyline Mine, C/007/005,

Dear Ms. Grubaugh-Littig:

Please find enclosed with this letter modifications to the Skyline Mine Water Monitoring Table 2.3.7-1 that was originally reviewed by Ms Dana Dean with an April 4, 2006 submittal. Please disregard the April 4, 2006 information as this submittal incorporates the modifications from both that date and the teleconference conducted April 10, 2006. The focus of the submittal is to ensure the Water Monitoring tables are consistent with commitments in the M&RP, and the analysis reduction modification submitted in 2005. Additional modifications to the Monitoring tables will be submitted in the very near future that address errors that still exist in the tables but are not clearly outlined in the currently approved M&RP.

This submittal includes completed C1 and C2 forms and both one (1) redline/strikethrough and eight (8) clean copies of modified text.

If you have any questions, please call me at (435) 448-2636.

Sincerely,

Handwritten signature: Gregg A. Galecki

Gregg A. Galecki
Environmental Coordinator, Skyline Mine
Canyon Fuel Company, LLC

enclosures

RECEIVED

APR 24 2006

DIV. OF OIL, GAS & MINING

APPLICATION FOR COAL PERMIT PROCESSING

Permit Change ☒ New Permit ☐ Renewal ☐ Exploration ☐ Bond Release ☐ Transfer ☐

Permittee: Canyon Fuel Company, LLC

Mine: Skyline Mine

Permit Number: C/007/005

Title: Water Monitoring Table Clarification

Description, Include reason for application and timing required to implement:

Modification to the M&RP Water Monitoring Table - Section 2.3

Instructions: If you answer yes to any of the first eight (gray) questions, this application may require Public Notice publication.

- ☐ Yes ☒ No 1. Change in the size of the Permit Area? Acres: _____ Disturbed Area: _____ ☐ increase ☐ decrease.
- ☐ Yes ☒ No 2. Is the application submitted as a result of a Division Order? DO# _____
- ☐ Yes ☒ No 3. Does the application include operations outside a previously identified Cumulative Hydrologic Impact Area?
- ☐ Yes ☒ No 4. Does the application include operations in hydrologic basins other than as currently approved?
- ☐ Yes ☒ No 5. Does the application result from cancellation, reduction or increase of insurance or reclamation bond?
- ☐ Yes ☒ No 6. Does the application require or include public notice publication?
- ☐ Yes ☒ No 7. Does the application require or include ownership, control, right-of-entry, or compliance information?
- ☐ Yes ☒ No 8. Is proposed activity within 100 feet of a public road or cemetery or 300 feet of an occupied dwelling?
- ☐ Yes ☒ No 9. Is the application submitted as a result of a Violation? NOV # _____
- ☐ Yes ☒ No 10. Is the application submitted as a result of other laws or regulations or policies?

Explain: _____

- ☐ Yes ☒ No 11. Does the application affect the surface landowner or change the post mining land use?
- ☐ Yes ☒ No 12. Does the application require or include underground design or mine sequence and timing? (Modification of R2P2)
- ☐ Yes ☒ No 13. Does the application require or include collection and reporting of any baseline information?
- ☐ Yes ☒ No 14. Could the application have any effect on wildlife or vegetation outside the current disturbed area?
- ☐ Yes ☒ No 15. Does the application require or include soil removal, storage or placement?
- ☐ Yes ☒ No 16. Does the application require or include vegetation monitoring, removal or revegetation activities?
- ☐ Yes ☒ No 17. Does the application require or include construction, modification, or removal of surface facilities?
- ☒ Yes ☐ No 18. Does the application require or include water monitoring, sediment or drainage control measures?
- ☐ Yes ☒ No 19. Does the application require or include certified designs, maps or calculation?
- ☐ Yes ☒ No 20. Does the application require or include subsidence control or monitoring?
- ☐ Yes ☒ No 21. Have reclamation costs for bonding been provided?
- ☐ Yes ☒ No 22. Does the application involve a perennial stream, a stream buffer zone or discharges to a stream?
- ☐ Yes ☒ No 23. Does the application affect permits issued by other agencies or permits issued to other entities?

Please attach four (4) review copies of the application. If the mine is on or adjacent to Forest Service land please submit five (5) copies, thank you. (These numbers include a copy for the Price Field Office)

I hereby certify that I am a responsible official of the applicant and that the information contained in this application is true and correct to the best of my information and belief in all respects with the laws of Utah in reference to commitments, undertakings, and obligations, herein.


Wesley K Sorensen
Print Name

Wesley K Sorensen 4/12/06
Sign Name, Position, Date

Subscribed and sworn to before me this 12 day of April, 2006

Kathleen Atwood
Notary Public

My commission Expires: 4/12, 2006
Attest: State of Utah } ss:
County of Carbon



For Office Use Only:

Assigned Tracking
Number:

Received by Oil, Gas & Mining

RECEIVED

APR 24 2006

DIV. OF OIL, GAS & MINING

APPLICATION FOR COAL PERMIT PROCESSING

Detailed Schedule Of Changes to the Mining And Reclamation Plan

Permittee: Canyon Fuel Company, LLC

Mine: Skyline Mine

Permit Number: C/007/005

Title: Modification to the M&RP Water Monitoring Table - Section 2.3

Provide a detailed listing of all changes to the Mining and Reclamation Plan, which is required as a result of this proposed permit application. Individually list all maps and drawings that are added, replaced, or removed from the plan. Include changes to the table of contents, section of the plan, or other information as needed to specifically locate, identify and revise the existing Mining and Reclamation Plan. Include page, section and drawing number as part of the description.

DESCRIPTION OF MAP, TEXT, OR MATERIAL TO BE CHANGED[illegible]

Any other specific or special instruction required for insertion of this proposal into the Mining and Reclamation Plan.

One (1) redline/strikethrough and eight (8) clean copies submitted

Received by Oil, Gas & Mining

RECEIVED

APR 24 2006

DIV. OF OIL, GAS & MINING

Table 2.3.7-1
Comprehensive Water Quality Analytical Schedule
(Surface and Ground Water Stations)

| <u>Streams</u> | <u>Protocol</u> | <u>Comments</u> |
|-----------------------------------|---|---|
| CS-1 | A 12 | |
| CS-3 | A 1, 2, 6, 7 | |
| CS-4 | A 1, 2, 6, 7 | |
| CS-6 | A , A, W, 1, 2, 3, 6, 7, 40 | |
| CS-7 (F-5) | A 12 | |
| CS-8 | A 12 | |
| CS-9 | A 1, 2, 6, 7 | |
| CS-10 | A 12 | |
| CS-11 | A 1, 2, 6, 7 | |
| CS-12 | A, W, 1, 2, 3, 6, 7 | |
| CS-13 | A, W, 1, 2, 3, 6, 7 | |
| CS-14 | A, W, 1, 2, 3, 6, 7 | |
| CS-15 | A-13 A 10 | |
| CS-16 | A 12 | |
| CS-17 | A 12 | |
| CS-18 | A 12 | |
| CS-19 | A 1, 2 | |
| CS-20 | A 1, 2 | |
| CS-21 | A 1, 2 | |
| CS-22 | D 44 10 | |
| CS-23 | D 44 10 | |
| MD-1 | A-1, 2 , A, W, 4 | (Mine discharge - CS-12 and CS-14 combined) |
| MD-1 | B 10 | |
| SRD-1 | B 10 | (Same as MD-1) |
| F-9 | C 12 | |
| F-10 | A 1, 2 and C | |
| UP&L-10 | A 1, 2 | |
| VC-6 | A -A, W, 1, 2, 3, 6, 7, 9 | |
| VC-9 | A -A, W, 1, 2, 3, 6, 7, 8, 9 | Flow is sum of CS-6 and CS13 |
| VC10 | A -A, W, 12 | |
| VC11 | D 10 | |
| VC12 | D 10 | |
| MC-1 | A -A, W, 4 | |
| MC-2 | A -A, W, 4 | |
| MC-3 | A -A, W, 4 | |
| MC-4 | A -A, W, 4 | |
| MC-5 | A -A, W, 4 | |
| MC-6 | A -A, W, 4 | |
| NL-1 through NL- 40 42 | F 42 10 | North Lease Subsidence Points |
| WRDS #1 | A 1, 2, 6, 7 | |
| WRDS #2 | A 1, 2, 6, 7 | |
| WRDS #3 | A 1, 2, 6, 7 | |
| WRDS #4 | A 1, 2, 6, 7 | |
| EL-1 | A 13 | Sample spring, summer, and fall for |
| EL-2 | A 13 | 3 years beginning in 2004 |

Table 2.3.7-1 (cont.)
Comprehensive Water Quality Analytical Schedule
(Surface and Ground Water Stations)

| <u>Springs</u> | <u>Protocol</u> | <u>Comments</u> |
|---------------------|---|--|
| S10-1 | A 1, 2 | |
| S12-1 | A 1, 2 | |
| S13-2 | A 12 | |
| S13-7 | A 1, 2 | |
| S14-4 | A 12 | |
| S15-3 | A 12, 13 (13 - spring and fall for 3 years starting in 2004) | |
| S15-3 | G 13 (13 - spring and fall for 3 years starting in 2004) | |
| S17-2 | A 1, 2 | |
| S22-5 | A 12 | |
| S22-11 | A 12 | |
| S23-4 | A 12 | |
| S24-1 Sulfur Spring | A 1, 2, | |
| S24-1 Sulfur Spring | G 13 (13 - spring and fall for 3 years starting in 2004) | |
| S24-12 | A 12 | |
| S26-13 | A 12 | |
| S34-12 | A 12 | |
| S35-8 | A 12 | |
| S36-12 | A 12 | |
| 2-413 | A 12, 13 (13 - spring and fall for 3 years starting in 2004) | |
| 2-413 | G 13 (13 - spring and fall for 3 years starting in 2004) | |
| 3-290 | A 12 | |
| 8-253 | G 13 | Sampled spring and fall for 3 years starting in 2004 |
| WQ1-39 | A 1, 2 | |
| WQ3-6 | A 1, 2 | |
| WQ3-26 | A 1, 2 | |
| WQ3-41 | A 1, 2 | |
| WQ3-43 | A 1, 2 | |
| WQ4-12 | A 1, 2 | |
| <u>Wells</u> | | |
| JC-1 | A-5 and BB 10, H 5 | |
| JC-3 | A-4 and BB 10, H 4 | |
| ELD-1 | B 10 | (JC-1 and JC-3 combined) |
| W79-10-1B | E 11 | |
| W79-14-2A | E 11 | |
| W79-26-1 | E 11 | |
| W79-35-1A | E 11 | |
| W79-35-1B | E 11 | |
| W2-1 (98-2-1) | E 11 | |
| W20-4-1 | E 11 | |
| W20-4-2 | E 11 | |
| W99-4-1 | E 11 | |
| W99-21-1 | E 11 | |
| W99-28-1 | E 11 | |
| W20-28-1 | E 11 | |
| 91-26-1 | E 11 | |
| 91-35-1 | E 11 | |

Table 2.3.7-1 (cont.)
Comprehensive Water Quality Analytical Schedule
(Surface and Ground Water Stations)

Field and Laboratory Measurement Protocol

Water Level and Flow Measurements

- A Stream and Springs: high spring (April - June), low summer flow (August - September), and late fall (October - November)
- A^W Stream and Springs: winter season (December - February) monitoring included
- B Stream, Springs, and Wells: monthly discharge measurements, reported in first 7 days following end of month
- C Stream and Springs: monthly flows when accessible.
- D Stream: seasonal discharge measurements (April - June, August - September, October - November)
- E Monitoring well: seasonal water level measurement (April - June, August - September, October - November)
- F Streams: monthly flows June through October, earlier and later if accessible. To be monitored one year prior to, during, and one year following undermining.
- G Springs: high spring and late fall sampling
- H Production Wells: (Quarterly)

Water Quality

- 1 High spring and late fall (April - June and October - November) water quality field and operational laboratory measurements
- 2 Low summer flow (August - September) water quality field and operational laboratory measurements
- 3 Winter season (December - February) water quality field and operational laboratory measurements
- 4 Seasonal ~~water quality field~~ flow measurements, TDS, TSS, and total phosphorous
- 5 Seasonal ~~water quality field~~ flow measurements, TDS, TSS, and total phosphorous, C14, tritium, and stable isotopes deuterium and oxygen 18
- 6 Also oil and grease, phenols
- 7 Total organic carbon and cyanide (low summer flow only)
- 8 Also total phosphorous
- 9 Also dissolved oxygen
- 10 ~~Seasonal flow~~ Flow only
- 11 ~~Seasonal water~~ Water levels
- 12 Field parameters only**
- 13 Tritium

** Sites with at least two (2) years of lab analysis data will be sampled once every five (5) years for the currently approved laboratory parameters beginning in 2010. If field parameter monitoring indicates any trending changes, regular laboratory analysis may be resumed until trend is adequately characterized.

Table 2.3.7-1
Comprehensive Water Quality Analytical Schedule
(Surface and Ground Water Stations)

| <u>Streams</u> | <u>Protocol</u> | <u>Comments</u> |
|--------------------|---------------------------|---|
| CS-1 | A 12 | |
| CS-3 | A 1, 2, 6, 7 | |
| CS-4 | A 1, 2, 6, 7 | |
| CS-6 | A, W, 1, 2, 3, 6, 7 | |
| CS-7 (F-5) | A 12 | |
| CS-8 | A 12 | |
| CS-9 | A 1, 2, 6, 7 | |
| CS-10 | A 12 | |
| CS-11 | A 1, 2, 6, 7 | |
| CS-12 | A, W, 1, 2, 3, 6, 7 | |
| CS-13 | A, W, 1, 2, 3, 6, 7 | |
| CS-14 | A, W, 1, 2, 3, 6, 7 | |
| CS-15 | A 10 | |
| CS-16 | A 12 | |
| CS-17 | A 12 | |
| CS-18 | A 12 | |
| CS-19 | A 1, 2 | |
| CS-20 | A 1, 2 | |
| CS-21 | A 1, 2 | |
| CS-22 | D 10 | |
| CS-23 | D 10 | |
| MD-1 | A, W, 4 | (Mine discharge - CS-12 and CS-14 combined) |
| MD-1 | B 10 | |
| SRD-1 | B 10 | (Same as MD-1) |
| F-9 | C 12 | |
| F-10 | A 1, 2 and C | |
| UP&L-10 | A 1, 2 | |
| VC-6 | A, W, 1, 2, 3, 6, 7, 9 | |
| VC-9 | A, W, 1, 2, 3, 6, 7, 8, 9 | Flow is sum of CS-6 and CS13 |
| VC10 | A, W, 12 | |
| VC11 | D 10 | |
| VC12 | D 10 | |
| MC-1 | A, W, 4 | |
| MC-2 | A, W, 4 | |
| MC-3 | A, W, 4 | |
| MC-4 | A, W, 4 | |
| MC-5 | A, W, 4 | |
| MC-6 | A, W, 4 | |
| NL-1 through NL-42 | F 10 | North Lease Subsidence Points |
| WRDS #1 | A 1, 2, 6, 7 | |
| WRDS #2 | A 1, 2, 6, 7 | |
| WRDS #3 | A 1, 2, 6, 7 | |
| WRDS #4 | A 1, 2, 6, 7 | |
| EL-1 | A 13 | Sample spring, summer, and fall for |
| EL-2 | A 13 | 3 years beginning in 2004 |

Table 2.3.7-1 (cont.)
Comprehensive Water Quality Analytical Schedule
(Surface and Ground Water Stations)

| <u>Springs</u> | <u>Protocol</u> | <u>Comments</u> |
|---------------------|--|--|
| S10-1 | A 1, 2 | |
| S12-1 | A 1, 2 | |
| S13-2 | A 12 | |
| S13-7 | A 1, 2 | |
| S14-4 | A 12 | |
| S15-3 | A 12 | |
| S15-3 | G 13 (13 - spring and fall for 3 years starting in 2004) | |
| S17-2 | A 1, 2 | |
| S22-5 | A 12 | |
| S22-11 | A 12 | |
| S23-4 | A 12 | |
| S24-1 Sulfur Spring | A 1, 2, | |
| S24-1 Sulfur Spring | G 13 (13 - spring and fall for 3 years starting in 2004) | |
| S24-12 | A 12 | |
| S26-13 | A 12 | |
| S34-12 | A 12 | |
| S35-8 | A 12 | |
| S36-12 | A 12 | |
| 2-413 | A 12 | |
| 2-413 | G 13 (13 - spring and fall for 3 years starting in 2004) | |
| 3-290 | A 12 | |
| 8-253 | G 13 | Sampled spring and fall for 3 years starting in 2004 |
| WQ1-39 | A 1, 2 | |
| WQ3-6 | A 1, 2 | |
| WQ3-26 | A 1, 2 | |
| WQ3-41 | A 1, 2 | |
| WQ3-43 | A 1, 2 | |
| WQ4-12 | A 1, 2 | |
| <u>Wells</u> | | |
| JC-1 | B 10, H 5 | |
| JC-3 | B 10, H 4 | |
| ELD-1 | B 10 | (JC-1 and JC-3 combined) |
| W79-10-1B | E 11 | |
| W79-14-2A | E 11 | |
| W79-26-1 | E 11 | |
| W79-35-1A | E 11 | |
| W79-35-1B | E 11 | |
| W2-1 (98-2-1) | E 11 | |
| W20-4-1 | E 11 | |
| W20-4-2 | E 11 | |
| W99-4-1 | E 11 | |
| W99-21-1 | E 11 | |
| W99-28-1 | E 11 | |
| W20-28-1 | E 11 | |
| 91-26-1 | E 11 | |
| 91-35-1 | E 11 | |

Table 2.3.7-1 (cont.)
Comprehensive Water Quality Analytical Schedule
(Surface and Ground Water Stations)

Field and Laboratory Measurement Protocol

Water Level and Flow Measurements

- A Stream and Springs: high spring (April - June), low summer flow (August - September), and late fall (October - November)
- W Stream and Springs: winter season (December - February) monitoring included
- B Stream, Springs, and Wells: monthly discharge measurements, reported in first 7 days following end of month
- C Stream and Springs: monthly flows when accessible.
- D Stream: seasonal discharge measurements (April - June, August - September, October - November)
- E Monitoring well: seasonal water level measurement (April - June, August - September, October - November)
- F Streams: monthly flows June through October, earlier and later if accessible. To be monitored one year prior to, during, and one year following undermining.
- G Springs: high spring and late fall sampling
- H Production Wells: (Quarterly)

Water Quality

- 1 High spring and late fall (April - June and October - November) water quality field and operational laboratory measurements
- 2 Low summer flow (August - September) water quality field and operational laboratory measurements
- 3 Winter season (December - February) water quality field and operational laboratory measurements
- 4 Seasonal flow measurements, TDS, TSS, and total phosphorous
- 5 Seasonal flow measurements, TDS, TSS, and total phosphorous, C14, tritium, and stable isotopes deuterium and oxygen 18
- 6 Also oil and grease, phenols
- 7 Total organic carbon and cyanide (low summer flow only)
- 8 Also total phosphorous
- 9 Also dissolved oxygen
- 10 Flow only
- 11 Water levels
- 12 Field parameters only**
- 13 Tritium

** Sites with at least two (2) years of lab analysis data will be sampled once every five (5) years for the currently approved laboratory parameters beginning in 2010. If field parameter monitoring indicates any trending changes, regular laboratory analysis may be resumed until trend is adequately characterized.